

Reflection Madness

Dr Heinz M. Kabutz

© 2009-2013 Heinz Kabutz – All Rights Reserved



Javaspecialists.eu
java training

The Java Painkiller

- **Reflection is like Opium**
 - A bit too strong for every day use
 - But can relieve serious pain
 - Please do not become a Reflection Addict!

Heinz Kabutz

- Author of The Java Specialists' Newsletter
 - Articles about advanced core Java programming
- <http://www.javaspecialists.eu>



Introduction to Reflection



Introduction To Reflection

- Java Reflection has been with us since Java 1.1
 - We can find out what type an object is and what it can do
 - We can call methods, set fields and make new instances

**Job interview: "Do
you know reflection?"**

**"Yes, I do. You can use it to
modify private final fields and
call methods dynamically."**

"This interview is over."


Benefits Of Reflection

- **Flexibility**
 - Choose at runtime which methods to call
- **Raw Power**
 - Background work such as reading private data
- **Magic Solutions**
 - Do things you should not be able to do
 - Sometimes binds you to JVM implementation


Dangers Of Reflection

- Static Code Tools
- Complex Code
- Static compiling does not find typical errors
 - For example, code is written in XML and converted dynamically to Java objects
- Runtime Performance
- Limited Applicability
 - Does not always work in Sandbox

Overview - Reflection Package



With Class Class Drawn In



All classes in reflection refer to `java.lang.Class`

Working With Class Objects

- Once we have the class object, we can find out information about what its objects can do:
 - What is the superclass?
 - What interfaces does it implement?
 - What accessible methods and fields does it have?
 - Include methods from parent classes
 - What are *all* the methods and fields defined in the class, including private and inaccessible?
 - What are the inner classes defined?
 - What constructors are available?
 - We can cast objects

More Interesting - What Can't We Do?

- With standard reflection, we cannot find
 - Names of parameters for a method
 - Java 8 allows under certain conditions
 - Anonymous classes declared in methods and classes
 - Generic type parameters of an object
 - At runtime `ArrayList<String>` and `ArrayList<Integer>` are the same class
- We can find some of them with non-reflection tricks

Accessing Members

- From the class, we can get fields, methods and constructors
 - `getField(name)`, `getDeclaredField`
 - `getMethod(name, parameters...)`, `getDeclaredMethod`
 - `getConstructor(parameters...)`, `getDeclaredConstructor`
- Private members require `setAccessible(true)`

Modifying Private State



Private Members

- Can be made "accessible"
 - `member.setAccessible(true)`
 - Requires security manager support

```
public class StringDestroyer {  
    public static void main(String... args)  
        throws IllegalAccessException, NoSuchFieldException {  
        Field value = String.class.getDeclaredField("value");  
        value.setAccessible(true);  
        value.set("hello!", "cheers".toCharArray());  
        System.out.println("hello!");  
    }  
}
```

cheers

Newsletter #014, March '01

- **String is a special case**
 - Shared object between classes if the same static content

```
System.out.println("hello!");  
StringDestroyer.main(null);  
System.out.println("hello!".equals("cheers"));
```

hello!
cheers
true

String History Lesson

- Java 1.0 - 1.2
 - String contained char[], offset, count
- Java 1.3 - 1.6
 - Added a cached hash code
 - String became a shared, mutable, but thread-safe class
- Java 1.7
 - Got rid of offset and length and added hash32
- Java 1.8
 - Got rid of hash32 again

Newsletter #102, January '05

- Integers can also be mangled
 - Java typically caches auto-boxed Integers -128 to 127
 - We can modify these with reflection

```
Field value = Integer.class.getDeclaredField("value");
value.setAccessible(true);
value.set(42, 43);
```

Destroying Integer Integrity

- Integers are more vulnerable than Strings

```
Field value = Integer.class.getDeclaredField("value");
value.setAccessible(true);
value.set(42, 43);

System.out.printf("Six times Seven = %d%n", 6 * 7);
```

Six times Seven = 43

Meaning Of Life

- Hitchhiker's Guide to the Galaxy
 - Modifying a field related to hashCode is a *very bad idea*

```
Field value = Integer.class.getDeclaredField("value");
value.setAccessible(true);
value.set(42, 43);
```

```
Map<Integer, String> meaningOfLife =
    new HashMap<Integer, String>();
meaningOfLife.put(42, "The Meaning of Life");
```

```
System.out.println(meaningOfLife.get(42));
System.out.println(meaningOfLife.get(43));
```

The Meaning of Life
The Meaning of Life

Meaning Of Life

- **Hitchhiker's Guide to the Galaxy**
 - Now we modify field after using it as a hash value
 - Newsletter # 031 from Nov '01

```
Map<Integer, String> meaningOfLife =  
    new HashMap<Integer, String>();  
meaningOfLife.put(42, "The Meaning of Life");
```

```
Field value = Integer.class.getDeclaredField("value");  
value.setAccessible(true);  
value.set(42, 43);
```

```
System.out.println(meaningOfLife.get(42));  
System.out.println(meaningOfLife.get(43));
```

null
null

Size of Objects



Determining Object Size

- **Object Size is not defined in Java**
 - Differs per platform (**Newsletters #029 Aug '01 and #078 Sep '03**)
 - Java 1.0 - 1.3: Each field took at least 4 bytes
 - 32-bit: Pointer is 4 bytes, minimum object size 8 bytes
 - 64-bit: Pointer is 8 bytes, minimum object size 16 bytes
 - All platforms we looked at increase memory usage in 8 byte chunks
 - Can be measured with the **Instrumentation API**
 - **Newsletter #142 - March '07**
 - We traverse object graph using reflection and **IdentityHashMap** to avoid duplicates
 - You might need to define your own endpoints

Reflection-Based Memory Counting

- Find all connected objects and measure size
 - Count each object only once (`IdentityHashMap`)
 - Skip shared objects (`Strings`, `Boxed Primitives`, `Classes`, `Enums`, etc.)
- Result is scary
 - In "C", "Heinz" was 6 bytes
 - String "Heinz" uses 80 bytes on a 64-bit JVM
 - Unless it is an "interned" String, then zero
 - Empty `HashMap` uses 216 bytes
 - List of 100 boolean values set to true
 - `LinkedList` uses 6472 bytes
 - `ArrayList` uses 3520 bytes
 - `BitSet` uses 72 bytes

Reified Primitive Types?

- Java 7 was going to support `ArrayList<int>`
 - Fortunately this was dropped
 - Each int would use 24 bytes!
 - Rather use primitive specific collection classes

Instrumentation-Based Memory Counting

- Implementation-specific *estimate* of object size

```
public class MemoryCounterAgent {  
    private static Instrumentation inst;  
  
    /** Initializes agent */  
    public static void premain(  
        String agentArgs, Instrumentation inst) {  
        MemoryCounterAgent.inst = inst;  
    }  
  
    /** Returns object size. */  
    public static long sizeOf(Object obj) {  
        return instrumentation.getObjectSize(obj);  
    }  
}
```

- Only a shallow size, for deep sizes we still need reflection

Application Of MemoryCounter

- Educational Tool
 - Explains why Java needs 100 TB of RAM just to boot up
- Debugging
 - One customer used it to discover size of user sessions
 - Need to define custom end-points in object graph
- Ongoing Monitoring
 - Not that useful, too much overhead

Java Caller ID



Finding Out Who Called You

- With Sun's JVM, we have `sun.reflect.Reflection`
 - Used in `Class.forName(String)`

```
public class CallerID {  
    public static Class<?> whoAmI() {  
        return sun.reflect.Reflection.getCallerClass(2);  
    }  
}
```

class CallerIDTest

```
public class CallerIDTest {  
    public static void main(String... args) {  
        System.out.println(CallerID.whoAmI());  
    }  
}
```

@CallerSensitive

- Java 8 disabled the call to
Reflection.getCallerClass(int)
- For finding out direct caller, use

```
Class<?> clazz = MethodHandles.Lookup().lookupClass();
```
- However, it doesn't give us classes deeper in stack

Finding Out Who Called You #2

- JVM independent using Exception Stack Traces
 - Does not tell you parameter types, only method name

```
public class CallerID {  
    public static String whoAmI() {  
        Throwable t = new Throwable();  
        StackTraceElement directCaller = t.getStackTrace()[1];  
        return directCaller.getClassName() + "." +  
            directCaller.getMethodName() + "()";  
    }  
}
```

```
class CallerIDTest.main()
```

Application Of CallerID

- **Creating Loggers (Newsletter #137 - Dec '06)**
 - Loggers often created with copy & paste

```
public class Application {  
    private final static Logger logger =  
        Logger.getLogger(Application.class.getName());  
}
```

Avoiding Copy & Paste Bugs

- We can do this instead

```
public class LoggerFactory {  
    public static Logger create() {  
        Throwable t = new Throwable();  
        StackTraceElement caller = t.getStackTrace()[1];  
        return Logger.getLogger(caller.getClassName());  
    }  
}
```

```
public class Application {  
    private final static Logger logger =  
        LoggerFactory.create();  
}
```

Cost of `Throwable.getStackTrace()`?

- Creating a new `Throwable` is expensive
 - The `fillInStackTrace()` method is a native method call
 - However, the actual stack trace objects are empty
 - During debugging, if you want to see the actual stack trace of an exception, watch the `getStackTrace()` method (idea by Maik Jäkel)
 - The `getStackTrace()` method is even more expensive!
- However, you need call it only once per logger

Finding Out Who Called You #3

- JVM independent using Security Manager

```
public class CallerID {  
    public static Class<?> whoAmI() {  
        MySecMgr sm = new MySecMgr();  
        return sm.getClassContext()[2];  
    }  
    private static class MySecMgr extends SecurityManager {  
        public Class[] getClassContext() {  
            return super.getClassContext();  
        }  
    }  
}
```

class CallerIDTest

Application Of CallerID For JUnit

- Make running unit tests from main()

```
public class UnitTestRunner {  
    public static void run() {  
        MySecMgr sm = new MySecMgr();  
        Class<?> clazz = sm.getClassContext()[2];  
        System.out.println("Running unit tests for " + clazz);  
        TestRunner.run(new JUnit4TestAdapter(clazz));  
    }  
  
    private static class MySecMgr extends SecurityManager {  
        public Class[] getClassContext() {  
            return super.getClassContext();  
        }  
    }  
}
```

Normal Unit Test With JUnit 4

- Cannot be directly invoked from the command line

```
import org.junit.*;  
import static org.junit.Assert.assertEquals;  
  
public class MyTest {  
    @Test  
    public void testHello() {  
        assertEquals("HELLO", "hello".toUpperCase());  
    }  
}
```

Augmented Unit Test With JUnit 4

- Context aware method **UnitTestRunner.run()**

```
import org.junit.*;  
import static org.junit.Assert.assertEquals;  
  
public class MyTest {  
    @Test  
    public void testHello() {  
        assertEquals("HELLO", "hello".toUpperCase());  
    }  
  
    public static void main(String... args) {  
        UnitTestRunner.run();  
    }  
}
```

Tests Automagically Run

- Context aware method `UnitTestRunner.run()`

Running unit tests for class MyTest

.
Time: 0.048

OK (1 test)

The Delegator



Automatic Delegator

- Obama wants to see bytes flowing across my sockets
 - Java provides plugin methods to specify `SocketImpl`

```
public class MonitoringSocketFactory
    implements SocketImplFactory {
    public SocketImpl createSocketImpl() {
        return new MonitoringSocketImpl();
    }
}
```

```
SocketImplFactory socketImplFactory =
    new MonitoringSocketFactory();
Socket.setSocketImplFactory(socketImplFactory);
ServerSocket.setSocketFactory(socketImplFactory);
```

- Only catch, default `SocketImpl` classes are package access

Delegating To Inaccessible Methods

- All methods in `SocketImpl` are protected
- We cannot call them directly, only with reflection
 - But how do we know which method to call?
- We want to write

```
public void close() throws IOException {  
    delegator.invoke();  
}
```

```
public void listen(int backlog) throws IOException {  
    delegator.invoke(backlog);  
}
```

- Should automatically call correct methods in wrapped object

Impossible?

- With Stack Trace CallerID, we can get close
 - If there is a clash, we specify method explicitly
 - First, we find the method that we are currently in

```
private String extractMethodName() {  
    Throwable t = new Throwable();  
    return t.getStackTrace()[2].getMethodName();  
}
```

Finding The Correct Method By Parameters

- Simple search
 - Find method with same name and number of parameters
 - Check that each of the objects are assignable
 - If not exactly one method is found, throw an exception

```
private Method findMethod(String methodName, Object[] args) {  
    Class<?> clazz = superclass;  
    if (args.length == 0)  
        return clazz.getDeclaredMethod(methodName);  
    Method match = null;  
    next:  
    for (Method method : clazz.getDeclaredMethods()) {  
        if (method.getName().equals(methodName)) {  
            Class<?>[] classes = method.getParameterTypes();  
            if (classes.length == args.length) {  
                for (int i = 0; i < classes.length; i++) {  
                    Class<?> argType = classes[i];  
                    argType = convertPrimitiveClass(argType);  
                    if (!argType.newInstance(args[i])) continue next;  
                }  
                if (match == null) match = method;  
                else throw new DelegationException("Duplicate");  
            }  
        }  
    }  
    if (match != null) return match;  
    throw new DelegationException("Not found: " + methodName);  
}
```

Manual Override

- Delegator allows you to specify method name and parameter types for exact match

```
public void connect(InetAddress address, int port)
    throws IOException {
    delegator
        .delegateTo("connect", InetAddress.class, int.class)
        .invoke(address, port);
}
```

Invoking The Method

- Generics "automagically" casts to return type

```
public final <T> T invoke(Object... args) {  
    try {  
        String methodName = extractMethodName();  
        Method method = findMethod(methodName, args);  
        @SuppressWarnings("unchecked")  
        T t = (T) invoke0(method, args);  
        return t;  
    } catch (NoSuchMethodException e) {  
        throw new DelegationException(e);  
    }  
}
```

When Generics Fail

- **Workaround: Autoboxing causes issues when we convert automatically**

```
public int getPort() {  
    Integer result = delegator.invoke();  
    return result;  
}
```

- **Workaround: Inlining return type makes it impossible to guess what type it is**

```
public InputStream getInputStream() throws IOException {  
    InputStream real = delegator.invoke();  
    return new DebuggingInputStream(real, monitor);  
}
```

Fixing Broken Encapsulation

- Socket implementations modify parent fields directly
 - Before and after calling methods, we copy field values over

```
writeFields(superclass, source, delegate);
method.setAccessible(true);
Object result = method.invoke(delegate, args);
writeFields(superclass, delegate, source);
```

Fixing Broken Encapsulation

- Method `writeFields()` uses basic reflection
 - Obviously only works on fields of common superclass

```
private void writeFields(Class clazz, Object from, Object to) {  
    for (Field field : clazz.getDeclaredFields()) {  
        field.setAccessible(true);  
        field.set(to, field.get(from));  
    }  
}
```

Complete Code

- **Newsletter #168 - Jan '09**
 - Includes primitive type mapper
 - Allows you to delegate to another object
 - Without hardcoding all the methods
- **Warning:**
 - Calling delegated methods via reflection is *much* slower

Application Of Delegator

- Wrapping of `SocketImpl` object

```
public class MonitoringSocketImpl extends SocketImpl {  
    private final Delegator delegator;  
  
    public InputStream getInputStream() throws IOException {  
        InputStream real = delegator.invoke();  
        return new SocketMonitoringInputStream(getSocket(), real);  
    }  
  
    public OutputStream getOutputStream() throws IOException {  
        OutputStream real = delegator.invoke();  
        return new SocketMonitoringOutputStream(getSocket(), real);  
    }  
  
    public void create(boolean stream) throws IOException {  
        delegator.invoke(stream);  
    }  
  
    public void connect(String host, int port) throws IOException {  
        delegator.invoke(host, port);  
    }  
    // etc.  
}
```

Alternative To Reflection

- Various other options exist:
 - Modify `SocketImpl` directly and put into boot class path
 - Use Aspect Oriented Programming to replace call
 - Needs to modify all classes that call
`Socket.getInputStream()` and
`Socket.getOutputStream()`

Of "Final" Fields



Manipulating Objects – Final Fields

- Final fields cannot be reassigned
- If they are bound at compile time, they will get inlined
- However, reflection may allow us to rebind them with some versions of Java
 - Can introduce dangerous concurrency bugs
 - Final fields are considered constant and can be inlined at runtime by HotSpot compilers
 - Only ever do this for debugging or testing purposes

Setting "final" Field

- Can be set since Java 1.5
 - `char[]` value is actually "final"
 - We could still modify *contents* of array

```
public class StringDestroyer {  
    public static void main(String... args)  
        throws IllegalAccessException, NoSuchFieldException {  
        Field value = String.class.getDeclaredField("value");  
        value.setAccessible(true);  
        value.set("hello!", "cheers".toCharArray());  
        System.out.println("hello!");  
    }  
}
```

cheers

Setting "static Final" Fields

- Should not be possible, according to Lang Spec
- However, here is how you can do it (Sun JVM):
 1. Find the field using normal reflection
 2. Find the "modifiers" field of the Field object
 3. Change the "modifiers" field to not be "final"
 - 3.1. `modifiers &= ~Modifier.FINAL;`
 4. Get the FieldAccessor from the `sun.reflect.ReflectionFactory`
 5. Use the FieldAccessor to set the final static field

ReflectionHelper Class

- Now we can set static final fields
 - Newsletter #161 in May '08

```
import sun.reflect.*; import java.lang.reflect.*;
public class ReflectionHelper {
    private static final ReflectionFactory reflection =
        ReflectionFactory.getReflectionFactory();

    public static void setStaticFinalField(Field field, Object value)
        throws NoSuchFieldException, IllegalAccessException {
        field.setAccessible(true);
        Field modifiersField = Field.class.getDeclaredField("modifiers");
        modifiersField.setAccessible(true);
        int modifiers = modifiersField.getInt(field);
        modifiers &= ~Modifier.FINAL;
        modifiersField.setInt(field, modifiers);
        FieldAccessor fa = reflection.newFieldAccessor(field, false);
        fa.set(null, value);
    }
}
```

Example Of ReflectionHelper

```
public class StaticFieldTest {  
    private final static Object obj = "Hello world!";  
  
    public static void main(String... args)  
        throws NoSuchFieldException, IllegalAccessException {  
        ReflectionHelper.setStaticFinalField(  
            StaticFieldTest.class.getDeclaredField("obj"),  
            "Goodbye cruel world!"  
        );  
        System.out.println("obj = " + obj);  
    }  
}
```

Goodbye cruel world!

Application Of Setting Final Fields

- Create new enum values dynamically for testing

```
public enum HumanState { HAPPY, SAD }

public class Human {
    public void sing(HumanState state) {
        switch (state) {
            case HAPPY: singHappySong(); break;
            case SAD:   singDirge();      break;
            default:
                throw new IllegalStateException("Invalid State: " + state);
        }
    }
    private void singHappySong() {
        System.out.println("When you're happy and you know it ...");
    }
    private void singDirge() {
        System.out.println("Don't cry for me Argentina, ...");
    }
}
```

Any
problems?

New "enum" Values



Most Protected Class

- Enums are subclasses of `java.lang.Enum`
- Almost impossible to create a new instance
 - One hack was to let enum be an anonymous inner class
 - Newsletter #141 - March '07
 - We then subclassed it ourselves
 - This hack was stopped in Java 6
 - We can create a new instance using `sun.reflect.Reflection`
 - But the enum switch statements are tricky
 - Adding a new enum will cause an `ArrayIndexOutOfBoundsException`

Creating New Enum Value

- We use the `sun.reflect.ReflectionFactory` class
 - The `clazz` variable represents the enum's class

```
Constructor cstr = clazz.getDeclaredConstructor(  
    String.class, int.class  
);  
ReflectionFactory reflection =  
    ReflectionFactory.getReflectionFactory();  
Enum e = reflection.newConstructorAccessor(cstr).  
    newInstance("BLA", 3);
```

Original Human.sing()

```
public void sing(HumanState state) {  
    switch (state) {  
        case HAPPY:  
            singHappySong();  
            break;  
        case SAD:  
            singDirge();  
            break;  
        default:  
            new IllegalStateException(  
                "Invalid State: " + state);  
    }  
}
```

- Let's see how this is converted into byte code

An Inner Class Is Generated

- Decompiled with Pavel Kouznetsov's JAD

```
public void sing(HumanState state) {  
    static class _cls1 {  
        static final int $SwitchMap$HumanState[] =  
            new int[HumanState.values().length];  
        static {  
            try {  
                $SwitchMap$HumanState[HumanState.HAPPY.ordinal()] = 1;  
            } catch(NoSuchFieldError ex) { }  
            try {  
                $SwitchMap$HumanState[HumanState.SAD.ordinal()] = 2;  
            } catch(NoSuchFieldError ex) { }  
        }  
    }  
}
```

Generated Enum Switch

```
switch(_cls1.$SwitchMap$HumanState[state.ordinal()]) {  
    case 1:  
        singHappySong();  
        break;  
    case 2:  
        singDirge();  
        break;  
    default:  
        new IllegalStateException(  
            "Invalid State: " + state);  
        break;  
}
```

Modifying Enum "switch" Statements

- Follow this procedure:
 1. Specify which classes contain enum switch statements
 2. For each class, find all fields that follow the pattern
`$SwitchMap$enum_name`
 3. Make fields (`int[]`) larger by one slot
 4. Set field values to new `int[]`

Memento Design Pattern

- Every time we make a change, first copy the state
 - Allows us to undo previous change
 - Useful for testing purposes
- EnumBuster class contains stack of undo mementos

```
EnumBuster<HumanState> buster =  
    new EnumBuster<>(HumanState.class, Human.class);  
try {  
    Human heinz = new Human();  
    heinz.sing(HumanState.HAPPY);  
    heinz.sing(HumanState.SAD);  
  
    HumanState MELLOW = buster.make("MELLOW");  
    buster.addValue(MELLOW);  
    System.out.println(Arrays.toString(HumanState.values()));  
  
try {  
    heinz.sing(MELLOW);  
    fail("Should have caused an IllegalStateException");  
} catch (IllegalStateException success) { }  
} finally {  
    System.out.println("Restoring HumanState");  
    buster.restore();  
    System.out.println(Arrays.toString(HumanState.values()));  
}
```

Test Output

- When we run it, we should see the following

When you're happy and you know it ...

Don't cry for me Argentina, ...

[HAPPY, SAD, MELLOW]

Restoring HumanState

[HAPPY, SAD]

AssertionFailedError: Should have caused an IllegalStateException
at HumanTest.testSingingAddingEnum(HumanTest.java:23)

- Note that when the test run is complete, all the classes have been changed back to what they were before

Constructing without Constructor



Serialization Basics

- When we serialize an object, fields are read with reflection and written to stream
- When we deserialize it again, an object is *constructed without calling the constructor*
 - We can use the same mechanism to create objects

Basic Class

- Whenever this object is instantiated, a message is printed to console
 - Furthermore, i is always 42

```
public class MyClass {  
    private int i = 42;  
  
    public MyClass(int i) {  
        System.out.println("Constructor called");  
    }  
  
    public String toString() {  
        return "MyClass i=" + i;  
    }  
}
```

Serialization Mechanism

- **Serialization can make objects without calling constructor**
 - We can use the same mechanism (JVM specific)

```
ReflectionFactory rf =  
    ReflectionFactory.getReflectionFactory();  
Constructor objDef = Object.class.getDeclaredConstructor();  
Constructor intConstr = rf.newConstructorForSerialization(  
    MyClass.class, objDef  
);
```

mc = MyClass i=0
class MyClass

```
MyClass mc = (MyClass) intConstr.newInstance();  
System.out.println("mc = " + mc.toString());  
System.out.println(mc.getClass());
```

Unsafe

- Alternatively, we can use `sun.misc.Unsafe`
 - Again, JVM specific

```
Object o = Unsafe.getUnsafe().allocateInstance(  
    MyClass.class);  
System.out.println("o = " + o.toString());  
System.out.println(o.getClass());
```

Or Just Make New Constructor

```
public class MagicConstructorMaker {  
    public static <T> Constructor<T> make(Class<T> clazz)  
        throws NoSuchMethodException, IllegalAccessException,  
        InvocationTargetException, InstantiationException {  
        Constructor<?> constr =  
            Constructor.class.getDeclaredConstructor(  
                Class.class,           // Class<T> declaringClass  
                Class[].class,         // Class<?>[] parameterTypes  
                Class[].class,         // Class<?>[] checkedExceptions  
                int.class,             // int modifiers  
                int.class,             // int slot  
                String.class,          // String signature  
                byte[].class,          // byte[] annotations  
                byte[].class);         // byte[] parameterAnnotations  
        constr.setAccessible(true);  
    }  
}
```

And Create New Constructor Object

- This even works on Android Dalvik
 - However, Java 8 core dumps with wrong slot #

```
int slot = clazz.getDeclaredConstructors().length + 1;
return (Constructor<T>) constr.newInstance(
    clazz,
    new Class[0],
    new Class[0],
    Modifier.PUBLIC,
    slot,
    "MyMagicConstructor",
    null,
    null);
}
```

Singletons?

- **Classic approach is private constructor**
 - More robust: throw exception if constructed twice

```
public class Singleton {  
    private final static Singleton instance = new Singleton();  
  
    private Singleton() {  
        if (instance != null)  
            throw new IllegalStateException("Duplicate singletons!!!");  
    }  
  
    public static Singleton getInstance() {  
        return instance;  
    }  
}
```

Singletons?

- Make new Singleton objects
 - My other techniques also work

```
Singleton.getInstance();  
Singleton s = MagicConstructorMaker.make(Singleton.class).newInstance();  
System.out.println(s == Singleton.getInstance());  
System.out.println(s);  
System.out.println(Singleton.getInstance());
```

Application: Constructing Without Constructor

- Useful when you need to recreate an object
 - e.g. Copy an object, de-persist it, etc.

Externalizable Hack



Standard Serializing Approach

- Class implements Serializable
 - Usually *good enough*
- Next step is to add writeObject() and readObject()
 - Avoids reflection overhead
 - This is usually not measurable
 - Allows custom optimizations
- Class implements Externalizable
 - May be a tiny bit faster than Serializable
 - But, opens security hole

Serializable Vs Externalizable

- Writing of object
 - Serializable
 - Can convert object to bytes and read that - cumbersome
 - Externalizable
 - pass in a bogus ObjectOutputStream to gather data
- Reading of object
 - Serializable
 - cannot change state of an existing object
 - Externalizable
 - use bogus ObjectInput to modify existing object

```
public class MovieCharacter implements Externalizable {  
    private String name;  
    private boolean hero;  
  
    public MovieCharacter(String name, boolean hero) {  
        this.name = name;  
        this.hero = hero;  
    }  
  
    public void writeExternal(ObjectOutput out) throws IOException {  
        out.writeUTF(name);  
        out.writeBoolean(hero);  
    }  
  
    public void readExternal(ObjectInput in) throws IOException {  
        name = in.readUTF();  
        hero = in.readBoolean();  
    }  
  
    public String toString() {  
        return name + " is " + (hero ? "" : "not ") + "a hero";  
    }  
}
```

Bogus ObjectInput Created

```
public class HackAttack {  
    public static void hackit(MovieCharacter cc, String  
        final boolean hero) throws Exception {  
        ByteArrayOutputStream baos = new ByteArrayOutputStream();  
        ObjectOutputStream oos = new ObjectOutputStream(baos);  
        oos.writeObject(cc);  
        oos.close();  
  
        ObjectInputStream ois = new ObjectInputStream(  
            new ByteArrayInputStream(baos.toByteArray()))  
        {  
            public boolean readBoolean() throws IOException {  
                return hero;  
            }  
            public String readUTF() { return name; }  
        };  
        cc.readExternal(ois); // no security exception  
    }  
}
```

Bogus ObjectInput Created

```
public class HackAttackTest {  
    public static void main(String... args)  
        throws Exception {  
        System.setSecurityManager(new SecurityManager());  
        MovieCharacter cc = new MovieCharacter("John Hancock", true);  
        System.out.println(cc);  
  
        // Field f = MovieCharacter.class.getDeclaredField("name");  
        // f.setAccessible(true); // causes SecurityException  
  
        HackAttack.hackit(cc, "John Hancock the drunkard", false);  
  
        // now the private data of the MovieCharacter has changed!  
        System.out.println(cc);  
    }  
}
```

John Hancock is a hero
John Hancock the drunkard is not a hero

Application: Externalizable Hack

- Be careful with using Externalizable
 - We can change the state of an existing object
- With Serializable, we can create bad objects
 - A lot more effort
 - Should be checked with ObjectInputValidation interface
- Slight performance gain might not be worth it

Soft References and Reflection



Reflection And SoftReferences

- Reflection information stored as soft refs
 - Created lazily on first use
 - Can be turned off with
`-Dsun.reflect.noCaches=true`
- Reflection information costs approximately 24KB per class and takes about 362 µs to generate

Demo

Effects of not having caches



Effects On Performance

- **Soft References are cleared when system is under memory pressure**
 - Cache essential reflection information
 - Otherwise you get noCaches=true performance
- **Danger: SoftReferences cause a quadratic degradation of performance during GC**
 - Don't use them

Don't Use SoftReference

- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference
- Don't use SoftReference



**DONOTUSE
SOFT
REFERENCE**

Conclusion

- Reflection allows us some neat tricks in Java
 - Great power also means great responsibility
 - Don't overdo it, use sparingly
- Tons of free articles on JavaSpecialists.EU
 - <http://www.javaspecialists.eu/archive>



Reflection Madness

Dr Heinz M. Kabutz

heinz@javaspecialists.eu

I would love to hear from you!



The Java Specialists' Newsletter

