



The Hidden Art of Thread-Safe Programming: Exploring `java.util.concurrent`

Dr Heinz M. Kabutz

Last Updated 2025-05-14

Time for Q & A

- **Questions:**

- 1. How do you get good at concurrency?
- 2. What are the milestones we need to keep in mind when designing an application?
- 3. Is Structured Concurrency the silver bullet?

A Tale of `java.util.Vector`

- **One of the first classes in Java**
 - Part of Java 1.0
- **Was designed to be thread-safe from concurrent updates**
 - Most methods synchronized, locking on "this"
 - But missed synchronization on read-only methods like `size()`

Java 1.0 Vector

- **size() could return stale values**

```
public class Vector1_0 {  
    protected int elementCount;
```

```
    public final int size() {  
        return elementCount;  
    }
```

```
    public final synchronized void addElement(Object obj) {  
        // ...  
    }
```

```
}
```

Moving to Java 1.1

- Introduced a potential race condition

```
public class Vector1_1 implements java.io.Serializable {  
    protected int elementCount;  
  
    public final int size() {  
        return elementCount;  
    }  
  
    public final synchronized void addElement(Object obj) {  
        // ...  
    }  
}
```


Moving to Java 1.4

- **Fixed size() visibility and serialization race condition**

```
public class Vector1_4 implements java.io.Serializable {  
    protected int elementCount;  
    public synchronized int size() {  
        return elementCount;  
    }  
    public synchronized void addElement(Object obj) {  
        // ...  
    }  
    private synchronized void writeObject(ObjectOutputStream s)  
        throws IOException {  
        s.defaultWriteObject();  
    }  
}
```

However, Java 1.4 Can Deadlock!

- **Often, fixing one type of bug, introduces others**

```
Vector v1 = new Vector();  
Vector v2 = new Vector();  
v1.addElement(v2);  
v2.addElement(v1);  
// serialize v1 and v2 from two different threads
```

- **Mentioned in The Java Specialists' Newsletter #184**
 - **<https://www.javaspecialists.eu/archive/Issue184.html>**

Moving to Java 1.7

- **Fixed deadlock by calling writeFields() outside of lock**

```
public class Vector1_7 implements Serializable {  
    private void writeObject(java.io.ObjectOutputStream s)  
        throws java.io.IOException {  
        final java.io.ObjectOutputStream.PutField fields = s.putFields();  
        final Object[] data;  
        synchronized (this) {  
            fields.put("capacityIncrement", capacityIncrement);  
            fields.put("elementCount", elementCount);  
            data = elementData.clone();  
        }  
        fields.put("elementData", data);  
        s.writeFields();  
    }  
}
```


New Potential Deadlock Added in Java 8

- Should not call "alien methods" like `accept()` whilst locked

```
public class Vector8<E> implements Serializable {  
    public synchronized void forEach(Consumer<? super E> action) {  
        Objects.requireNonNull(action);  
        final int expectedModCount = modCount;  
        final E[] elementData = (E[]) this.elementData;  
        final int elementCount = this.elementCount;  
        for (int i=0; modCount == expectedModCount && i < elementCount; i++) {  
            action.accept(elementData[i]);  
        }  
        if (modCount != expectedModCount) {  
            throw new ConcurrentModificationException();  
        }  
    }  
}
```

Takeaways from Vector Bugs

- **Thread safety is subtle**
- **Tests don't always expose concurrency bugs**
 - We need to know what to look for



`java.util.concurrent` Teardown

Writing Correct Thread-Safe Code is a Challenge

- **The Java Memory Model is our rule book**
 - happens-before, ordering, access safety, etc.
 - However, we cannot test if a class adheres to the JMM 100%
- **We run our code, and hope it works correctly**
 - Some bugs are very hard to detect

LockSupport Rare Lost unpark()

- **Bug 8074773**

- In JDK 7, class loading could consume the unpark()

- Extremely difficult to diagnose and discover, took a week of CPU time
- Recommended workaround was to force LockSupport to load early

```
static {  
    // Prevent rare disastrous classloading in first call to LockSupport.park.  
    // See: https://bugs.openjdk.java.net/browse/JDK-8074773  
    Class<?> ensureLoaded = LockSupport.class;  
}
```

- Since JDK 9, ConcurrentHashMap ensures LockSupport is loaded

So Why Study the `java.util.concurrent` Classes?

- **Brian Goetz, JCiP:**
 - If you need to implement a state-dependent class the best strategy is usually to build upon an existing library class such as `Semaphore`, `BlockingQueue`, or `CountDownLatch`.
- **By studying `java.util.concurrent` in detail, we learn**
 - What is available
 - How to write robust, thread-safe classes

Good vs Bad Code

- **We all make mistakes**
 - In German, we say: „Vertrauen ist gut, Kontrolle ist besser!“
 - Test Driven Development
 - But very difficult to do with multi-threaded code
- **Better to rely on well-known synchronizers**
 - And then, use those that are most commonly used
 - Favour `ConcurrentHashMap` over `ConcurrentSkipListMap`
 - Favour `LinkedBlockingQueue` over `LinkedBlockingDeque`

Contributing Bug Reports

- **Anybody can report a Java bug: <https://bugreport.java.com>**
 - I've reported quite a few javaspecialists.eu/about/jdk-contributions/
 - Most of these were in little used classes
 - 1 in `LinkedTransferQueue`
 - 1 in `ThreadLocalRandom`
 - 1 in `ConcurrentSkipListMap`
 - 1 in `ArrayBlockingQueue`
 - 5 in `LinkedBlockingDeque`
 - The less used a class is, the higher the chance of bugs

Eat Your Own Dogfood Collections

- **How many new instances of each in the JDK**
 - **213: ConcurrentHashMap**
 - **11-24: CopyOnWriteArrayList, ConcurrentLinkedQueue, ConcurrentLinkedDeque, FutureTask, LinkedBlockingQueue**
 - **2-6: CountDownLatch, ArrayBlockingQueue, SynchronousQueue, ConcurrentSkipListSet**
 - **1: ConcurrentSkipListMap, LinkedBlockingDeque, LinkedTransferQueue, Semaphore**
 - **0: CopyOnWriteArraySet, CyclicBarrier, Exchanger, Phaser, PriorityBlockingQueue**

Let's Say That Again

- **Use extremely common thread-safe classes**
 - **ConcurrentHashMap**
 - **LinkedBlockingQueue**
 - **ConcurrentLinkedQueue**
- **All the bugs I found were in classes that are not used a lot**



tinyurl.com/jprime-25



Lessons from Striped64

LongAdder vs AtomicLong

- Let's do a quick comparison of incrementing 100m times
 - AtomicLong vs LongAdder (Striped64)

```
IntStream.range(0, 100_000_000)
    .parallel()
    .forEach(_ -> atomicLong.getAndIncrement());
```

```
IntStream.range(0, 100_000_000)
    .parallel()
    .forEach(_ -> longAdder.increment());
```


Demo

- **Magic? Let's look at how `LongAdder` / `Striped64` works**

Takeaways

- **Best way to deal with contention is to not have any**



StartingGun Synchronizer

StartingGun Synchronizer

- **Let's say we have a service that takes time to be started**
 - Any other part of the system that depends on it should wait
 - But we do not want to deal with InterruptedException
 - Once all the data is set up, we call ready(), awaking waiting threads

```
public interface StartingGun {  
    void awaitUninterruptibly();  
    void ready();  
}
```


Using `synchronized` and `wait()/notifyAll()`

```
public class StartingGunMonitor implements StartingGun {
    private boolean ready = false;
    public synchronized void awaitUninterruptibly() {
        boolean interrupted = Thread.interrupted();
        while (!ready) {
            try {
                wait(); // not fully compatible with older Loom versions
            } catch (InterruptedException e) {
                interrupted = true;
            }
        }
        if (interrupted) Thread.currentThread().interrupt();
    }
    public synchronized void ready() { ready = true; notifyAll(); }
}
```

Basing StartingGun on CountdownLatch

```
public class StartingGunCountDownLatch implements StartingGun {  
    private final CountdownLatch latch = new CountdownLatch(1);  
    public void awaitUninterruptibly() {  
        var interrupted = Thread.interrupted();  
        while (true) {  
            try {  
                latch.await();  
                break;  
            } catch (InterruptedException e) {  
                interrupted = true;  
            }  
        }  
        if (interrupted) Thread.currentThread().interrupt();  
    }  
    public void ready() { latch.countDown(); }  
}
```

Issues With These Approaches

- **Synchronized wait() not fully compatible with virtual threads**
 - Fixed in Java 24
- **Both times, interrupt would cause InterruptedException**
 - We hide it, but we still pay the cost of creating the exception
- **A better way is to copy what CountdownLatch does**
 - Quick demo



Lock Splitting: `LinkedBlockingQueue`

LinkedBlockingQueue Design

- **Single lock would cause `put()/take()` contention**
- **Has separate `putLock` and `takeLock` `ReentrantLock`**
 - We can `put()` and `take()` from a single queue at the same time
 - Has higher throughput for the SPSC case
 - And surprises for the SPMC case
 - Subtleties regarding visibility due to two locks
 - Use `AtomicInteger` count as a volatile synchronizer
- **Demo `LockSplittingDemo`**



Weakly Consistent Iterators – `ArrayBlockingQueue`

ArrayBlockingQueue Circular Array Queue

- **Weakly consistent iteration**

- **ArrayDeque would cause a ConcurrentModificationException**

```
var queue = new ArrayBlockingQueue<Integer>(10);  
Collections.addAll(queue, 1, 2, 3, 4, 5);  
var iterator = queue.iterator();  
for (int i = 0; i < 3; i++) System.out.println(iterator.next()); // 1, 2, 3  
Collections.addAll(queue, 6, 7, 8, 9, 10);  
iterator.forEachRemaining(System.out::println); // 4, 5, 6, 7, 8, 9, 10
```

- **However, what if we circle completely around the array?**

- **ArrayBlockingQueue has to notify its current iterators**
 - But how?

- **Demo WeaklyConsistentViaWeakReferences**



Double-Checked-Locking – `CopyOnWriteArrayList`

CopyOnWriteArrayList DCL

- In several places, checks before locking

```
public boolean remove(Object o) {  
    Object[] snapshot = getArray();  
    int index = indexOfRange(o, snapshot, 0, snapshot.length);  
    return index >= 0 && remove(o, snapshot, index);  
}  
// also addIfAbsent(E e),
```

- However, what if we circle completely around the array?

- ArrayBlockingQueue has to notify its current iterators
 - But how?

- Demo DCLOnSteroidsCOWDemo



Conclusion

The Java Specialists' Newsletter

- **Make sure to subscribe**
 - **www.javaspecialists.eu/archive/subscribe/**
- **Readers in 150+ countries**
- **Over 24 years of newsletters on advanced Java**
 - **All previous newsletters available on www.javaspecialists.eu**
 - **Courses, additional training, etc.**

Don't forget ...

- **Get our Data Structures in Java Course here**
 - **tinyurl.com/jprime-25**
 - **Coupon expires Wednesday at 18:00**
 - **You have life-time access to course**
- **For those watching the recording**
 - **Sign up to The Java Specialists' Newsletter**
 - **www.javaspecialists.eu**
 - **Reply to the welcome mail that you would like this course**

